

1 **SENATE FLOOR VERSION**

2 February 13, 2023

3 SENATE BILL NO. 264

By: Garvin

4
5 An Act relating to medical marijuana; amending 63
6 O.S. 2021, Section 427.17, as last amended by Section
7 1, Chapter 351, O.S.L. 2022 (63 O.S. Supp. 2022,
8 Section 427.17), which relates to medical marijuana
9 testing laboratory license; requiring licensee to use
10 process validation; and providing an effective date.

11 BE IT ENACTED BY THE PEOPLE OF THE STATE OF OKLAHOMA:

12 SECTION 1. AMENDATORY 63 O.S. 2021, Section 427.17, as
13 last amended by Section 1, Chapter 351, O.S.L. 2022 (63 O.S. Supp.
14 2022, Section 427.17), is amended to read as follows:

15 Section 427.17. A. There is hereby created a medical marijuana
16 testing laboratory license as a category of the medical marijuana
17 business license. The Oklahoma Medical Marijuana Authority is
18 hereby enabled to monitor, inspect and audit a licensed testing
19 laboratory under the Oklahoma Medical Marijuana and Patient
20 Protection Act.

21 B. The Authority is hereby authorized to contract with a
22 private laboratory for the purpose of conducting compliance testing
23 of medical marijuana testing laboratories licensed in this state.
24 Any such laboratory under contract for compliance testing shall be
prohibited from conducting any other commercial medical marijuana

1 testing in this state. The laboratory the Authority contracts with
2 for compliance testing shall not employ, or be owned by, the
3 following:

4 1. Any individual that has a direct or indirect interest in a
5 licensed medical marijuana business; or

6 2. Any individual or his or her spouse, parent, child, spouse
7 of a child, sibling or spouse of a sibling that has an application
8 for a medical marijuana business license pending before the
9 Authority or is a member of the board of directors of a medical
10 marijuana business, or is an individual financially interested in
11 any licensee or medical marijuana business located within this
12 state.

13 C. The Authority shall develop acceptable testing practices
14 including, but not limited to, testing, standards, quality control
15 analysis, equipment certification and calibration, process
16 validation, and chemical identification and substances used.

17 D. A person who is a direct beneficial owner of a medical
18 marijuana dispensary, medical marijuana commercial grower or medical
19 marijuana processor shall not be an owner of a laboratory.

20 E. A laboratory and a laboratory applicant shall comply with
21 all applicable local ordinances including, but not limited to,
22 zoning, occupancy, licensing and building codes.

23 F. A separate license shall be required for each specific
24 laboratory.

1 G. A medical marijuana testing laboratory license may be issued
2 to a person who performs testing on medical marijuana and medical
3 marijuana products for medical marijuana businesses, medical
4 marijuana research facilities, medical marijuana education
5 facilities, and testing on marijuana and marijuana products grown or
6 produced by a patient or caregiver on behalf of a patient, upon
7 verification of registration. A medical marijuana testing
8 laboratory may also conduct research related to the development and
9 improvement of its testing practices and procedures. No state-
10 approved medical marijuana testing facility shall operate unless a
11 medical laboratory director is on site during operational hours.

12 H. Laboratory applicants and licensees shall comply with the
13 application requirements of this section and shall submit such other
14 information as required for a medical marijuana business applicant,
15 in addition to any information the Authority may request for initial
16 approval and periodic evaluations during the approval period.

17 I. A medical marijuana testing laboratory may accept samples of
18 medical marijuana, medical marijuana concentrate or medical
19 marijuana product from a medical marijuana business, medical
20 marijuana research facility or medical marijuana education facility
21 for testing purposes only, which purposes may include the provision
22 of testing services for samples submitted by a medical marijuana
23 business for product development. The Authority may require a
24 medical marijuana business to submit a sample of medical marijuana,

1 medical marijuana concentrate or medical marijuana product to a
2 medical marijuana testing or quality assurance laboratory upon
3 demand.

4 J. A medical marijuana testing laboratory may accept samples of
5 medical marijuana, medical marijuana concentrate or medical
6 marijuana product from an individual person for testing only under
7 the following conditions:

8 1. The individual person is a patient or caregiver pursuant to
9 the Oklahoma Medical Marijuana and Patient Protection Act or is a
10 participant in an approved clinical or observational study conducted
11 by a research facility; and

12 2. The medical marijuana testing laboratory shall require the
13 patient or caregiver to produce a valid patient license and current
14 and valid photo identification.

15 K. A medical marijuana testing laboratory may transfer samples
16 to another medical marijuana testing laboratory for testing. All
17 laboratory reports provided to or by a medical marijuana business or
18 to a patient or caregiver shall identify the medical marijuana
19 testing laboratory that actually conducted the test.

20 L. A medical marijuana testing laboratory may utilize a
21 licensed medical marijuana transporter to transport samples of
22 medical marijuana, medical marijuana concentrate and medical
23 marijuana product for testing, in accordance with the Oklahoma
24 Medical Marijuana and Patient Protection Act and the rules adopted

1 pursuant thereto, between the originating medical marijuana business
2 requesting testing services and the destination laboratory
3 performing testing services.

4 M. The medical marijuana testing laboratory shall establish
5 policies to prevent the existence of or appearance of undue
6 commercial, financial or other influences that may diminish the
7 competency, impartiality and integrity of the testing processes or
8 results of the laboratory, or that may diminish public confidence in
9 the competency, impartiality and integrity of the testing processes
10 or results of the laboratory. At a minimum, employees, owners or
11 agents of a medical marijuana testing laboratory who participate in
12 any aspect of the analysis and results of a sample are prohibited
13 from improperly influencing the testing process, improperly
14 manipulating data or improperly benefiting from any ongoing
15 financial, employment, personal or business relationship with the
16 medical marijuana business that provided the sample. A medical
17 marijuana testing laboratory shall not test samples for any medical
18 marijuana business in which an owner, employee or agent of the
19 medical marijuana testing laboratory has any form of ownership or
20 financial interest in the medical marijuana business.

21 N. The Authority, pursuant to rules promulgated by the
22 Executive Director of the Authority, shall develop standards,
23 policies and procedures as necessary for:

24

1 1. The cleanliness and orderliness of a laboratory premises and
2 the location of the laboratory in a secure location, and inspection,
3 cleaning and maintenance of any equipment or utensils used for the
4 analysis of test samples;

5 2. Testing procedures, testing standards for cannabinoid and
6 terpenoid potency and safe levels of contaminants, process
7 validation, and remediation procedures. Process validation shall be
8 ~~voluntary~~ mandatory, and ~~no~~ a licensee shall be required to validate
9 their process. The Authority shall develop standards and
10 requirements for a licensee to achieve process validation by January
11 1, 2024. The standards, policies, and procedures for process
12 validation shall include, but not be limited to:

- 13 a. initial requirements to achieve process validation and
14 ongoing minimum testing requirements once a licensee
15 has achieved process validation,
- 16 b. requiring licensees to track their marijuana and
17 marijuana product inventory with the Authority's
18 designated seed-to-sale system provided the Authority
19 has selected a seed-to-sale system. This requirement
20 for compliance with the seed-to-sale system shall be
21 mandatory for licensees seeking to achieve process
22 validation whether or not compliance with a seed-to-
23 sale system is mandatory for all licensees,

24

- 1 c. requiring licensees that are utilizing process
2 validation to use a laboratory that is certified as a
3 certified process validation testing laboratory,
- 4 d. requiring licensees to record and document retention
5 policies, which at a minimum shall require licensees
6 to retain all documents and records related to process
7 validation. Such records shall be maintained by the
8 licensee for as long as the licensee is continuing to
9 operate under that validated process. Licensees shall
10 retain all such documents and records for at least
11 four (4) years after the licensee has stopped using
12 the validated process or after the licensee has made a
13 significant process change to a validated process.
14 Any significant process change to the validated
15 processes of a licensee is subject to the same
16 document retention requirements and shall be retained
17 for as long as the significant process change is part
18 of an ongoing validated process, and for at least four
19 (4) years after the licensee has stopped using the
20 validated process or after the licensee has made a
21 subsequent significant process change to the validated
22 process. The Authority shall promulgate rules for any
23 modifications to the validated processes,
- 24

- 1 e. requiring licensees to keep all records and documents
2 related to their process validation ready and
3 accessible at the address listed on their marijuana
4 business license for inspection or audit by the
5 Authority without any notice from the Authority,
- 6 f. a process for biannual inspections by the Authority
7 that, at a minimum, includes random testing of
8 products being produced under process validation. The
9 Authority shall be the entity that obtains the random
10 sample during the biannual inspections and shall have
11 access to all products being produced or grown under
12 process validation. The Authority shall take samples
13 to the quality assurance laboratory,
- 14 g. a process to revoke the authority of licensees to
15 operate under process validation,
- 16 h. punishment for violations of process validation that,
17 at a minimum, would prohibit a licensee from operating
18 under process validation for five (5) years and the
19 assessment of a fine not to exceed Fifty Thousand
20 Dollars (\$50,000.00). Any such fine levied against a
21 licensee found to have violated the laws or rules of
22 process validation shall be remitted to the Department
23 of Mental Health and Substance Abuse Services,
24

1 i. punishment for violations if an adulterated product
2 that was produced under process validation fails
3 testing and the batch or lot has been sold to a
4 dispensary, the first violation shall be the
5 assessment of a fine not to exceed Ten Thousand
6 Dollars (\$10,000.00) and a public recall of the
7 product. The licensee shall further be required to
8 revalidate the process. A second violation within two
9 (2) years of a previous violation shall be the
10 assessment of a fine not to exceed Seventy-five
11 Thousand Dollars (\$75,000.00) and a public recall of
12 the product. The licensee shall further be prohibited
13 from utilizing process validation for a minimum of
14 five (5) years. A third violation within two (2)
15 years of a previous violation shall be the assessment
16 of a fine of Two Hundred Fifty Thousand Dollars
17 (\$250,000.00) and a public recall of the product. The
18 licensee shall further be prohibited from utilizing
19 process validation,

20 j. any willful violation of process validation shall
21 result in the assessment of a fine of Two Hundred
22 Fifty Thousand Dollars (\$250,000.00) and a license
23 revocation hearing. A second willful violation of
24 process validation shall result in the assessment of a

1 fine of One Million Dollars (\$1,000,000.00) and a
2 hearing to permanently revoke the license,

3 k. an annual registration fee of Five Thousand Dollars
4 (\$5,000.00) per licensee, in addition to any other
5 fees due by the licensee, to be deposited in the
6 Oklahoma Medical Marijuana Authority Revolving Fund
7 for the enforcement of the laws and regulations of the
8 Authority,

9 l. establishing criteria for eligibility of testing
10 laboratories to be certified as a Certified Process
11 Validation Testing Laboratory and to conduct testing
12 for licensees pursuing or operating under process
13 validation. The criteria shall, at a minimum, pass
14 five (5) consecutive blind proficiency tests without a
15 failure over the course of six (6) months. The
16 proficiency tests shall be administered by the quality
17 assurance laboratory,

18 m. punishment for violations by a Certified Process
19 Validation Testing Laboratory that has been found to
20 have been falsifying data, providing misinformation,
21 or any unethical practices related to process
22 validation at a minimum shall prohibit a licensee from
23 operating under process validation for up to twenty-
24 five (25) years and the assessment of a fine not to

1 exceed One Million Dollars (\$1,000,000.00). Any such
2 fine levied against a licensee shall be remitted to
3 the Authority for deposit into the Oklahoma Medical
4 Marijuana Authority Revolving Fund. In addition to
5 this fine, in response to a finding of a willful
6 violation of process validation by the Authority, the
7 Authority shall also be authorized to collect, levy,
8 or impose any other fee, fine, penalty, or action as
9 allowed by law, and

10 n. a process to revoke the certification of a testing
11 laboratory that is seeking to be a Certified Process
12 Validation Testing Laboratory;

13 3. Controlled access areas for storage of medical marijuana and
14 medical marijuana product test samples, waste and reference
15 standards;

16 4. Records to be retained and computer systems to be utilized
17 by the laboratory;

18 5. The possession, storage and use by the laboratory of
19 reagents, solutions and reference standards;

20 6. A certificate of analysis (COA) for each lot of reference
21 standard;

22 7. The transport and disposal of unused marijuana, marijuana
23 products and waste;

24

1 8. The mandatory use by a laboratory of an inventory tracking
2 system to ensure all harvest and production batches or samples
3 containing medical marijuana, medical marijuana concentrate or
4 medical marijuana products are identified and tracked from the point
5 they are transferred from a medical marijuana business, a patient or
6 a caregiver through the point of transfer, destruction or disposal.
7 The inventory tracking system reporting shall include the results of
8 any tests that are conducted on medical marijuana, medical marijuana
9 concentrate or medical marijuana product;

10 9. Standards of performance;

11 10. The employment of laboratory personnel;

12 11. A written standard operating procedure manual to be
13 maintained and updated by the laboratory;

14 12. The successful participation in a proficiency testing
15 program approved by the Executive Director for each testing category
16 listed in this section, in order to obtain and maintain
17 certification;

18 13. The establishment of and adherence to a quality assurance
19 and quality control program to ensure sufficient monitoring of
20 laboratory processes and quality of results reported;

21 14. The immediate recall of medical marijuana or medical
22 marijuana products that test above allowable thresholds or are
23 otherwise determined to be unsafe;

24

1 15. The establishment by the laboratory of a system to document
2 the complete chain of custody for samples from receipt through
3 disposal;

4 16. The establishment by the laboratory of a system to retain
5 and maintain all required records, including business records, and
6 processes to ensure results are reported in a timely and accurate
7 manner; and

8 17. Any other aspect of laboratory testing of medical marijuana
9 or medical marijuana product deemed necessary by the Executive
10 Director.

11 O. A medical marijuana testing laboratory shall promptly
12 provide the Authority or designee of the Authority access to a
13 report of a test and any underlying data that is conducted on a
14 sample at the request of a medical marijuana business or qualified
15 patient. A medical marijuana testing laboratory shall also provide
16 access to the Authority or designee of the Authority to laboratory
17 premises and to any material or information requested by the
18 Authority to determine compliance with the requirements of this
19 section.

20 P. A medical marijuana testing laboratory shall retain all
21 results of laboratory tests conducted on marijuana or products for a
22 period of at least seven (7) years and shall make them available to
23 the Authority upon request.

1 Q. A medical marijuana testing laboratory shall test samples
2 from each harvest batch or, product batch, or samples consistent
3 with the rules promulgated for process validation, as appropriate,
4 of medical marijuana, medical marijuana concentrate and medical
5 marijuana product for each of the following categories of testing,
6 consistent with standards developed by the Executive Director:

- 7 1. Microbials;
- 8 2. Mycotoxins;
- 9 3. Residual solvents;
- 10 4. Pesticides;
- 11 5. Tetrahydrocannabinol (THC) and other cannabinoid potency;
- 12 6. Terpenoid type and concentration; and
- 13 7. Heavy metals.

14 R. A licensed medical marijuana testing laboratory shall test
15 each individual harvest batch. A grower shall separate each harvest
16 lot of usable marijuana into harvest batches containing no more than
17 fifteen (15) pounds, with the exception of any plant material to be
18 sold to a licensed processor for the purposes of turning the plant
19 material into concentrate which may be separated into harvest
20 batches of no more than fifty (50) pounds. A processor shall
21 separate each medical marijuana production lot into production
22 batches containing no more than four (4) liters of concentrate or
23 nine (9) pounds for nonliquid products, and for final products, the
24 Oklahoma Medical Marijuana Authority shall be authorized to

1 promulgate rules on final products as necessary. Provided, however,
2 the Authority shall not require testing of final products less often
3 than every one thousand (1,000) grams of THC. As used in this
4 subsection, "final products" shall include, but not be limited to,
5 cookies, brownies, candies, gummies, beverages and chocolates.

6 S. Medical marijuana testing laboratory licensure shall be
7 contingent upon successful on-site inspection, successful
8 participation in proficiency testing and ongoing compliance with the
9 applicable requirements in this section.

10 T. A medical marijuana testing laboratory shall be inspected
11 prior to initial licensure and up to two (2) times per year
12 thereafter by an inspector approved by the Authority. The Authority
13 may enter the licensed premises of a testing laboratory to conduct
14 investigations and additional inspections when the Authority
15 believes an investigation or additional inspection is necessary due
16 to a possible violation of applicable laws, rules or regulations.

17 U. Medical marijuana testing laboratories shall obtain
18 accreditation by an accrediting body approved by the Executive
19 Director within one (1) year of the date the initial license is
20 issued. Renewal of any medical marijuana testing laboratory license
21 shall be contingent upon accreditation in accordance with this
22 subsection. All medical marijuana testing laboratories shall obtain
23 accreditation prior to applying for and receiving a medical
24 marijuana testing laboratory license.

1 V. Unless authorized by the provisions of this section, a
2 commercial grower shall not transfer or sell medical marijuana and a
3 processor shall not transfer, sell or process into a concentrate or
4 product any medical marijuana, medical marijuana concentrate or
5 medical marijuana product unless samples from each harvest batch or
6 production batch, or samples consistent with the rules promulgated
7 for process validation, from which that medical marijuana, medical
8 marijuana concentrate or medical marijuana product was derived has
9 been tested by a medical marijuana testing laboratory and passed all
10 contaminant tests required by the Oklahoma Medical Marijuana and
11 Patient Protection Act and applicable laws, rules and regulations.
12 A licensed commercial grower may transfer medical marijuana that has
13 failed testing to a licensed processor only for the purposes of
14 decontamination or remediation and only in accordance with the
15 provisions of the Oklahoma Medical Marijuana and Patient Protection
16 Act and the rules and regulations promulgated by the Executive
17 Director. Remediated and decontaminated medical marijuana may be
18 returned only to the originating licensed commercial grower.

19 W. Kief shall not be transferred or sold except as authorized
20 in the rules and regulations promulgated by the Executive Director.

21 SECTION 2. This act shall become effective November 1, 2023.

22 COMMITTEE REPORT BY: COMMITTEE ON BUSINESS AND COMMERCE
23 February 13, 2023 - DO PASS
24